

## VERSIONS

- ☞ • VENTILATED REFRIGERATED VERSION FOR PASTRY
- ☞ • VENTILATED REFRIGERATED VERSION FOR WINE


## MAIN FEATURES

“ARES” MODEL DISPLAY CASE IS AN ELEGANT CABINET WITH A FINE VIEW, REFRIGERATED VENTILATED FOR PASTRY OR WINE. ITS STRUCTURE IS COMPOSED BY SILVER ANODISED ALUMINIUM UPRIGHTS (INOX ON REQUEST) AND DOUBLE-GLAZING ON ALL 4 WALLS, SO YOU HAVE THE MAXIMUM VISIBILITY OF EXPOSED PRODUCTS. THE DOUBLE GLAZED DOORS CAN BE KNOCKER OR SLIDING, ON ONE SIDE OR ON BOTH SIDES, LIGHTING BY VERTICAL LEDS, THE BASE AND THE TOP ARE IN STAINLESS STEEL, WITH BUILT-IN MOTOR ON THE UPPER PART. ELIWELL ELECTRONIC CONTROL UNIT IN THE MOTOR COMPARTMENT, AS STANDARD.

## OPTIONALS

- ADDITIONAL GLASS SHELF
- CAPACITIVE ELECTRONIC CONTROL UNIT WITH ENERGY-SAVING
- COVER, PLINTH AND VARNISHED STUDS

## VENTILATED REFRIGERATED VERSIONS FOR PASTRY




**DEPTH:** 742mm (+ EVENTUAL HINGED DOOR)  
**STANDARD LENGTHS:** 800mm / 1580mm  
**FEEDING:** 220V./50Hz./1

THE BASE AND THE TOP ARE INSULATED BY LOW-DENSITY ECOLOGICAL POLYURETHANE, THE CAPILLARY SYSTEM HAS R404A VENTILATED REFRIGERATION BY UPPER CYLINDER-BLOCK. WITH AUTO-EVAPORATION OF WATER CONDENSATION, N.3 GLASS SHELVES, +4°/+8° C WORKING TEMPERATURE.

L= 800mm WITH 1 KNOCKER DOOR	A SECTION
L= 1580mm WITH 2 KNOCKER DOORS	B SECTION
L= 1580mm WITH 2 SLIDING DOORS	C SECTION



## VENTILATED REFRIGERATED VERSIONS FOR WINE



**DEPTH:** 742mm (+ EVENTUAL HINGED DOOR)  
**STANDARD LENGTHS:** 800mm / 1580mm  
**FEEDING:** 220V./50Hz./1

THE BASE AND THE TOP ARE INSULATED BY LOW-DENSITY ECOLOGICAL POLYURETHANE, THE CAPILLARY SYSTEM HAS R404A VENTILATED REFRIGERATION BY UPPER CYLINDER-BLOCK. WITH AUTO-EVAPORATION OF WATER CONDENSATION, WITH N. 2 PLEXIGLASS BOTTLE-HOLDERS SET IN THE COUNTER. +4°/+8°C WORKING TEMPERATURE.

L= 800mm WITH 2 KNOCKER DOORS	A SECTION
L= 1580mm WITH 4 KNOCKER DOORS	B SECTION
L= 1580mm WITH 4 SLIDING DOORS	C SECTION